

SPORTFLY CONCEPT

CARBON FIBER + EPOXY SUPERSTRUCTURE

VINYLESTER + CARBON FIBER HULL & DECK

NEW SUNDECK AREA CONCEPT

NEW SUN DECK STAIRCASE DESIGN

4 & 3 CABINS LAYOUTS

LARGE STORAGE ON BOARD

DIGITAL MANUAL

MUSIC HULL (OPT)


SURFACE DRIVES

STD / OPT ENGINE CONFIGURATIONS

JOYSTICK & DPS

| LOA LH LWL BEAM DRAFT | M/FT M/FT M/FT M/FT M/FT | 25,55 83'10" 22,85 75'0" 19,6 64'4" 5,86 19'3" 1,4 4'7" |
|--|--------------------------------------|---|
| UNLADEN DISPLACEMENT | T/LB | 57 125663 |
| LADEN DISPLACEMENT | T/LB | 67 147710 |
| HULLTYPE: WARPED HULL WITH | | |
| SPRAY RAILS AND AFT DEADRISE | | 20° |
| H=OVERALL HEIGHT FROM | M/FT | 6,33 20'9'' |
| KEELHT=MINIMUM TRANSPORT HEIGHT FROM KEEL | M/FT | 5,87 19'3" |
| P= PULPIT + TRANSOM | M/FT | 2,70 8'10" |
| FUELTANK | L/US GAL | 6200 1638 |
| FRESH WATER TANK | L/US GAL | 1300 343 |
| TOTAL GUEST BERTHS GUEST CABIN GUEST HEAD MASTER CABIN POSITION FULL BEAM MASTER CABIN TOTAL CREW BERTHS CREW CABIN CREW HEADS CAPTAIN CABIN | STD OPT STD OPT | 8 6 + LD DINETTE 4 3 3 LOWER DECK YES 3 2 1 YES |

| | ENGINE | STD OPT | 2 x MTU 16V 2000 M96 2 x MTU 16V 2000 M96L |
|------|---|----------------|---|
| | ENGINE POWER | НР | 2435 2638 |
| MAIN | MAX SPEED CRUISING SPEED | KNOTS KNOTS | 45 48 38 41 |
| | MAXIMUM SPEED RANGE CRUISING SPEED RANGE | N.M N.M | 295 285 320 310 |
| | THE PERFORMANCE IS ESTIMATED AT THE FOLLOWING CONDITIONS: STANDARD VERSION DISPLACEMENT OF THE YACHT AT 1/3 LOAD, CLEAN HULL, 25°C AIR TEMPERATURE GOOD WEATHER CONDITIONS, 4 PEOPLE ON BOARD | T/LB | 59,8 131769 |
| | OVERLOADING THE YACHT BY TOP SPEED DECREASES OF | T/LB KNOT | 2 4409 1 |
| | STABILIZATION | OPT | 2 x SEAKEEPER NG9 |













SUNDECK (Sundeck helm station OPT)

MAIN DECK (Bow table OPT)

LOWER DECK (4 cabins)













LOWER DECK (3 cabins + LD dinette)

OWNER'S MANURI. SERRICH BY ENGLÉ: SERRICH BY ENG





DIGITAL MANUAL

YES

Digital manual

- Developed by Ferretti Group engineering department
- Quickly understand the use of the yacht
- Perfectly replaced the old thick paper manuals
- Easy to use with highly recognisable icon



Digital manual icon



Search by GA



Search by contents



Search by test



Tutorial video




Component manual



Favoriets





SUNDECK AFT SUNPAD 14,7 m² 5 m²

1. Sundeck access

- Sun deck staircase integrated into side wing
- Sundeck lateral access

2. Sundeck aft

SUNDECK

- Full beam 5 m² aft sunpad with storage underneath
- Side mini bar as OPT

3. Sundeck forward

- Sofa bench with backrest & storage underneath
- Glass holder on each side
- Helm station OPT with flip out dashboard
- 3 single pilot seats as OPT



TOTAL VOLUME

1200 L



< 100 L





270 - 350 L



400 - 450 L



> 700 L










COCKPIT 22 m²
PLATFORM 9 m²
GARAGE 12 m²

1. Stern

- Hydraulic kit for tailgate movement
- Aft garage fits 2 toys: Williams up to 345 & Jetski OPT

2. Cockpit

- Sun deck staircase integrated into side wing
- Sunpad with backrest and garage access
- Corner sofa with mini fridge underneath, the area can be transformed into a sun pad by OPT hi-low table
- Sink & BBQ built into the starboard side deck structure



TOTAL VOLUME ONLY GARAGE

11930 L 11500 L



< 100 L






270 - 350 L




400 - 450 L



> 700 L







STAIRS LENGTH STAIRS HEIGHT

3,6 m

2,4 m

1. Concept

- Integrated into the side wing
- Frees up the cockpit area
- Maintains the total use of sundeck space

2. Materials

- Steel support, covered by teak
- Glossy steel handrail
- Carbon fiber support column

3. Step thickness 20 mm

- Steel support 8 mm
- Covered by teak 12 mm


4. Width


- Step width 400 mm
- Stair average width 450 mm

5. Stair step

| TEAK COVER |
|-------------------|
| STEEL SUPPORT |
| 400mm → |
| 1 V IIII |







MAIN SALON

25,4 m²

1. Living area

- Hideaway sliding salon door
- C shaped sofa with coffee table
- TV 49" (sliding-flip out)
- Clearance 2,1m

2. STD Layout

MAIN DECK

INTERIOR


- Dining table for 8p
- Sidewalk access on each side


3. OPT Layout

- Bar furniture in the centre
- The dining table can be moved in between the sofa

4. Helm station

- Three single pilot seats;
- One piece windshield with no uprights
- Helm station area clearance: 2m









HELM STATION

HELM STATION

3,4 m²

1. Dynamic Skylight

- Automatic opening
- Made in darkened glass
- Fix panorama roof

2. Integrated helm station NAVIOP - SIMRAD

- HMI (Human Machine Interface): one single intuitive and easy to use, can be customised and adopted in every situation
- The "Multi Control System": allows full control of the different devices through a single device with one logic and interface (plotter autopilot engines fuel level radar). Perfect balance: electronic aesthetic ergonomic aspects. Simplifies the management of the yacht's navigation system

3. Display configurations

- STD 3 x 16"+16" dedicated to Top System
- OPT up to 2 x 24"+16"+16" dedicated to Top System



JOYSTICK DPS

OPT OPT

1. Top System easy set

- Allows to control automatically trims and flaps, without the pilot has to control the trims

2. Electro-hydraulic steer-by-wire system

- Turn the boat without any stress
- Dedicated interface
- Controls the drives


3. Manoeuvring system "joystick + surface drive"

- Use friendly & reliable
- Accurate during manoeuvring
- Extremely intuitive responsiveness
- Eliminates steering wheel and control all activities
- Automatic compensation of wind effect


4. DPS Dynamic Positioning System

- Maintains the heading and position
- Transforms GPS data into steering angles, gear shifts and throttle positions to keep the boat still
- Facilitates refuelling and boarding operations











13,4 m²

1. C shaped sofa

- Dining table OPT
- Multiple storage under the sofa
- Double life rafts under the sofa

2. Fwd Sun pad

- Storage under sun pad





TOTAL VOLUME

1640 L



< 100 L






270 - 350 L




400 - 450 L



> 700 L





GUESTS AREA

40,4 m²

1. STD version 4 cabins layout

- Full beam Master cabin + head almost 20 m² with queen size bed (2071 x 1800mm) and walk-in wardrobe, TV 49".


 Over 3,5m between the master cabin & engine room
- Fwd VIP cabin 9 m² with private head;
- Port side cabin 5 m² with two single beds;
- Starboard side cabin 7 m² with two single beds, shares the head with the port side cabin;
- OPT pullman bed configuration in the starboard cabin


2. OPT version 3 cabins layout


GUESTS

AREA

- Port side cabin can be transformed into a dinette area with table and L shaped corner sofa.







CREW AREA GALLEY

10 m² 5 m²

1. GALLEY

- Access from main salon
- Galley and crew area are separated by a sliding door

2. Crew area


- Access from the galley or deck hatch
- Crew mess with L shaped sofa and table
- Total 2 crew cabin, 3 crew berths (1 for captain "")
- Engine room access with a watertight door "蟲"
- Washer & dryer combo machine inside cabin


3. Engine room

- Central aisle width 600 mm
- Fwd aisle width 800 mm









"IIIIIII" MUSIC-HULL


"Listen to music underwater during dive sessions or while swimming"

Exclusively made for Pershing

- An innovative new element not only for the brand but for the entire pleasure craft industry
- A new way to experience relaxation in the sea with a listening quality never before achieved
- This innovative solution, is developed by the Ferretti Group Engineering Department in collaboration with Videoworks

VOTIS infotainment system

- Combines the remote controls of the devices in a single support
- Expandable to the automation system in all spaces;
- Controlled by smartphones and tablet



| EXTERIOR | | | | | |
|---|--|---------------------------------|--|--|--|
| DECK | AREA | | | | |
| SUNDECK | EXTERNAL | 14,7 | | | |
| MAIN DECK | BOW LIVING AREA | 13,4 | | | |
| MAIN DECK | COCKPIT | 22 | | | |
| LOWER DECK | SEPARATED PLATFORM | 9 | | | |
| | INTERIOR | | | | |
| DECK | AREA | | | | |
| MAIN DECK | MAIN SALON | 25,4 | | | |
| LOWER DECK | GALLEY | 5 | | | |
| LOWER DECK | MASTER CABIN | 16 | | | |
| LOWER DECK | MASTER HEAD | 3,4 | | | |
| LOWER DECK | CREW AREA | 10 | | | |
| LOWER DECK | AFT GARAGE | 12 | | | |
| LOWER DECK | GUEST CABINS + HEADS | 21 | | | |
| | TOTAL BY AREA / DECK | | | | |
| DECK | AREA | | | | |
| LOWER DECK | INTERIOR | 67,4 | | | |
| LOWER DECK | EXTERIOR | 9 | | | |
| MAIN DECK | INTERIOR | 25,4 | | | |
| MAIN DECK | EXTERIOR | 22 | | | |
| MAIN DECK | EXTERIOR | 13,4 | | | |
| SUNDECK | EXTERIOR | 14,7 | | | |
| | TOTAL SMQ | | | | |
| DECK | AREA | | | | |
| TOTAL | INTERIOR | 92,8 | | | |
| TOTAL | EXTERIOR | 59,1 | | | |
| LOWER DECK MAIN DECK MAIN DECK SUNDECK DECK TOTAL | EXTERIOR INTERIOR EXTERIOR EXTERIOR TOTAL SIMO AREA INTERIOR | 9 25,4 22 13,4 14,7 | | | |

